

HEBEL® Systems



Hebel® AAC wall systems are very popular in the Australian building industry due to the reduction in overall wall thickness, speed of construction and the acoustic and fire resistant properties.

Trafalgar Fire is committed to innovation within the passive fire industry developing new products and existing technologies, specifically designed to maintain the fire resistance level (FRL) of service penetrations through Hebel® systems.

Products



- FyreBOX™ Range
- FyreCHOKE Collars
- FyreFLEX® Sealant
- FyrePEX HP Sealant & FyreSHEATH
- FyrePLUG® Pillows
- FyreSHIELD™ Access Panel
- TWRAP

Applications

Electricians	Power Cables Data cables PVC Conduits
HVAC&R	Insulated pipes
Plumbers	Copper and Steel pipes PEX pipes PEX-AL-PEX pipes PVC pipes
Fire Professionals	Steel and CPVC Sprinkler pipes Fire Cables

Trades

Electricians



Plumbers



HVAC&R



Passive Fire Professionals



Table of Contents

Section	Trade/s	Page
Compliance		3
FRL Tables	Fyre Sealant Range	4
	FyreBOX™ Slab-Mount	5
	FyreBOX™ Mini & Maxi	6
	FyreSHIELD™ Access Panel	7
	FyreCHOKE Conduit & Premium Hinged Retrofit	8
	FyrePLUG® Pillows	8
Product Overviews	FyreFLEX® Sealant	9
	FyrePEX™ HP Sealant	10
	FyreBOX™ Mini	11
	FyreBOX™ Maxi	12
	FyreBOX™ Slab-Mount	13
	FyreSHIELD™ Access Panel	14
	FyreCHOKE Conduit Collars	15
	FyreCHOKE Premium Hinged Retrofit Collars	16
	FyrePLUG® Pillows	17
	TWRAP	19

HEBEL®

Systems

NCC2022 READY

Compliance with the National Construction Code (NCC)


Formerly known as BCA

Hebel® AAC wall systems are very popular in the Australian building industry due to; the reduction in overall wall thickness, speed of construction and the acoustic and fire resistant properties.

Trafalgar Fire is committed to innovation within the passive fire industry developing new products and existing technologies, specifically designed to maintain the fire resistance level (FRL) of service penetrations through Hebel® systems.

Hebel® is an Aerated, Autoclaved Concrete (AAC) proprietary panel wall system. AS1530.4 requires walls & shafts made of Hebel® to be fire-tested to determine the FRL of the specific service penetration. Assessments based on other wall types do NOT comply with Schedule 5 of the National Construction Code (NCC). The Trafalgar Fire systems in this document have been fire tested and approved specifically for use in Hebel® wall systems, providing full compliance with the NCC.

To maintain market leadership, Trafalgar Fire stay up to date with the latest technologies and trends in passive fire protection and contemporary construction techniques. We are 75 years strong and still innovating.







FRL Approvals Tables

Fyre Sealants Range

FyreFLEX® Sealant & FyrePEX HP Intumescent Sealant



Applications		Trade	System	Details	FRL
Small Cable Bundles			FyreFLEX® Sealant	For specific system and FRL details refer to the:	Apartment walls (SOU):-/60/60 Riser shaft walls:-/90/90 Other walls -/120/120 (with additional FyreBOARD Maxilite®)
Large Cable Bundles				FyreFLEX® Technical Manual TWRAP Technical Manual	
Steel Pipes				Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website.	
Copper Pipes					
PEX Pipes			FyrePEX HP Sealant	For specific system and FRL details refer to the:	Apartment walls (SOU):-/60/60 Riser shaft walls:-/90/90 Other walls -/120/120
Air-conditioning bundle (FR or PE insulation)				FyrePEX HP Technical Manual TWRAP Technical Manual	
Insulated Metal Pipes	up to 32mm			Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website.	
PVC Conduits up to 40mm (NBN, power etc)					

FyreFLEX



FyrePEX HP



FRL Approvals Tables





FyreBOX™ Range

FyreBOX™ Slab-Mount Mixed service penetrations

FyreBOX™ SLAB-MOUNT



FRL TABLES - FyreBOX™ Slab-Mount


Applications	Trade	System	Details	FRL
Apartments services Any quantity of typical apartment entry services: <ul style="list-style-type: none"> Electrical and Data Cables PVC Conduit PEX Gas PEX Pipes Insulated Pair Coil Sprinkler Pipes etc. 	   	FyreBOX Slab-Mount sizes: <ul style="list-style-type: none"> 160 x 125mm 350 x 125mm 550 x 125mm 650 x 125mm Custom up to 1100 x 125mm 	Installed to the slab soffit before the walls are constructed. Allows service trades to run their pipes and cables quicker/sooner, speeding up build time and reducing risk of defects on site. Rw50 acoustic rating. For specific system and FRL details refer to the: FyreBOX™ Slab-Mount Technical Manual Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website.	-/60/60
Riser shaft services Any quantity or configuration of typical riser shaft services				-/90/90
2 hour wall Applications Any quantity or configuration of approved services				-/120/120







FRL Approvals Tables

FyreBOX™ Range

FyreBOX™ Maxi & FyreBOX™ Mini Mixed service penetrations



Applications	Trade	System	Details	FRL
Small services including: <ul style="list-style-type: none"> Electrical and Data Cables PVC Conduit PEX Gas PEX Pipes Insulated Pair Coil 	   	FyreBOX™ Mini Square sizes: <ul style="list-style-type: none"> 65mm 100mm Round sizes: <ul style="list-style-type: none"> 100mm 150mm 	Mounted anywhere in the wall with steel mounting flanges (FyreFLANGE™), hinged for easy retrofit. For specific system and FRL details refer to the: FyreBOX™ Maxi and Mini Technical Manual	-/120/120
Large service bundles including large quantities of: <ul style="list-style-type: none"> Insulated/Bare Copper or Steel Pipes Cable Trays and Conduits 		FyreBOX™ Maxi Available Sizes: <ul style="list-style-type: none"> 350 x 125mm 550 x 125mm 650 x 125mm Custom up to 1100 x 125mm 	Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website.	-/120/120




FRL Approvals Tables





FyreSHIELD™

2 way tested
Fire Rated Access Panel

FyreSHIELD



FRL TABLES - FyreSHIELD™

Applications	Trade	System	Details	FRL*
Access Panels	   	<p>FyreSHIELD™</p> <p>Sizes:</p> <ul style="list-style-type: none"> • 300 x 300mm • 400 x 400mm • 450 x 450mm • 550 x 550mm • 600 x 600mm • Custom any size up to 600 x 600mm 	<p>Providing market leading FRL's for access panels, the FyreSHIELD™ uses new materials technology so it doesn't need any additional blocks or architraves to achieve the 30 minutes insulation as per NCC C3.13. For specific system and FRL details refer to the:</p> <p>FyreSHIELD™ Technical Manual</p> <p>Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website</p>	<p>-/60/60 or -/90/30</p>

* Shaft walls only require 30 minutes insulation as per NCC C3.13



FyreSHIELD

Fully Insulated
2-Way Fire Protection
NCC 2022 ready!


Patent Pending

FRL Approvals Tables

FyreCHOKE Premium Hinged Retrofit




Fire Collars

FyreCHOKE PREMIUM HINGED RETROFIT



FyreCHOKE CONDUIT



Applications	Trade	System	Details	FRL
PVC Conduits		FyreCHOKE Conduit or FyreCHOKE Premium Hinged Retrofit (with FyreBOARD Maxilite®)	For specific system and FRL details refer to the:	-/120/120
PVC Pipes			FyreCHOKE Technical Manual	-/120/120
PEX pipes			Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website	-/120/120
Air-conditioning bundle (FR or PE insulation)				

FRL TABLES - FyreCHOKE & FyrePLUG

FyrePLUG®

Fire Pillows

FyrePLUG



Applications	Trade	System	Details	FRL
Small to Large Cable Bundles and Cable Trays		FyrePLUG® Pillows	For specific system and FRL and TWRAP details refer to the:	-/120/120
PVC Conduit			FyrePLUG® Technical Manual	-/120/120
Metal pipes		FyrePLUG® Pillows (with FyrePEX HP for conduits)	Available from the Trafalgar Fire Knowledge Centre Technical Manuals page on the website	-/120/120



FyreFLEX® Sealant



Trafalgar Fire's FyreFLEX® Sealant is a water based, low VOC and environmentally friendly fire-rated sealant with intumescent properties which makes it perfect for fire stopping cable and metal pipe penetrations through fire rated barriers.

FyreFLEX® is the one of the most fire tested sealants in the market with more than 30 fire and acoustic tests, and assessments spanning over 30 years. FyreFLEX® has been approved for use in a large range of control joint or firestopping applications required under the National Construction Code (NCC).

NCC 2022 ready!

Key Features



- NCC 2022 ready – fire tested and approved in accordance with AS1530.4 and AS4072.1
- Non-Toxic
- Water-based allowing for easy clean-up
- Excellent adhesion properties
- Tested and compliant in single layer plasterboard, Hebel® and Speedpanel® walls.
- Approved for use in both walls and floors

Applications

Builders	Control and Expansion Joints
Electricians	Electrical Cables Data Cables
Active Fire	Steel Sprinkler Pipes TPS Fire Cables
Plumbers	Copper Pipes Steel Pipes

Trades

Builders



Electricians



Passive Fire Professionals



Plumbers



FyrePEX™ HP



FyrePEX™ High-Performance Sealant is a graphite water-based intumescent mastic sealant that is used for fire stopping of service penetrations through fire-rated walls and floors to prevent the spread of fire for up to 2 hours.

Key Features



- Specifically designed for water and gas PEX pipe penetrations
- Also suitable for HVAC&R services
- Quick and easy to apply and install
- FyreSHEATH option helps reduce wastage
- Tested for Speedpanel®, Hebel® and plasterboard walls
- Non-toxic & Green star rated for low VOC
- Water based for easy clean up
- Tested and approved in accordance with AS1530.4-2014 and AS4072.1

Applications

Click to Watch Installation Video



Plumbers

PEX pipes
PEX-AL-PEX pipes
Insulated Steel
Copper

HVAC&R

Pair coil
(single or in clusters up to 3)

Electricians

Power
Data cables
Conduits

Trades

Plumbers




HVAC&R



Electricians



FyreBOX™ Mini



The FyreBOX™ Mini and Maxi are a retro-fit multi-service penetration system designed to prevent the spread of fire through small or large service penetrations, in the smallest footprint possible.

FyreBOX™ has been tested rigorously with a range of mixed service types and bundles in common wall and floor types and is one of the most fire tested products in the world, with industry leading FRL's of up to -/240/240 (system specific).

NCC 2022 ready!

Key Features

**NEW IMPROVED
FYREFLANGE**



- Allows multiple and mixed services to pass through one opening
- Mixed services approved in any quantity or configuration
- Retro-fit or new construction
- Space saving, eliminates the need for 200mm separation between adjacent services
- Tested in Hebel®, single/ double layer plasterboard, Speedpanel® and many other common wall/floor systems.
- Fire tested in independent laboratories
- Thoroughly tested to AS1530.4-2014

Click to Watch
Installation Video



Applications

Electricians	Power Data cables Conduits
Plumbers	Steel and Copper pipes PVC pipes PEX pipes PEX-AL-PEX pipes
HVAC&R	Insulated pipes
Active Fire	Sprinkler pipes Fire cables

Trades



FyreBOX™ Maxi



The FyreBOX™ Mini and Maxi are a retro-fit multi-service penetration system designed to prevent the spread of fire through small or large service penetrations, in the smallest footprint possible.

FyreBOX™ has been tested rigorously with a range of mixed service types and bundles in common wall and floor types and is one of the most fire tested products in the world, with industry leading FRL's of up to -/240/240 (system specific).

NCC 2022 ready!

Click to Watch
Installation Video



Key Features



- Allows multiple and mixed services to pass through one opening
- Mixed services approved in any quantity or configuration
- Retro-fit or new construction
- Space saving, eliminates the need for 200mm separation between adjacent services
- Tested in Hebel®, single/ double layer plasterboard, Speedpanel® and many other common wall/floor systems
- Fire tested in independent laboratories
- Thoroughly tested to AS1530.4-2014

Applications

Electricians	Power Data cables Conduits
Plumbers	Steel and Copper pipes PVC pipes PEX pipes PEX-AL-PEX pipes
HVAC&R	Insulated pipes
Active Fire	Sprinkler pipes Fire cables

Trades

Architect

Builders

Electricians

Plumbers

HVAC&R

Passive Fire Professionals



FyreBOX™ Slab-Mount



The FyreBOX™ Slab Mount is a proudly Australian made passive fire penetration system used for multiple and mixed service penetrations which has been designed and tested to be built into residential/commercial apartment walls and riser shafts reducing the space required for service penetrations, providing predictable site costs and a reliable method of fire stopping.

NCC compliant NCC 2022 ready!

Key Features

**BIM MODELS
NOW AVAILABLE**



- Allows firestopping to be installed before the walls are constructed
- Patented system allows multiple and mixed services to pass through one opening in any quantity or configuration
- Space saving, eliminates the need for 200mm separation between adjacent services
- Tested in Hebel® and single layer plasterboard walls
- Fire tested in independent laboratories
- Acoustic performance Rw50
- Thoroughly tested to AS1530.4-2014

Applications

Click to Watch
Installation Video



Electricians	Power Data cables Conduits
Plumbers	PEX pipes PEX-AL-PEX pipes
HVAC&R	Insulated pipes
Active Fire	Sprinkler pipes Fire cables

Trades

Builders

Electricians

Plumbers

HVAC&R

Passive Fire Professionals



FyreSHIELD™



New Patented Products

FyreSHIELD™ is a proudly Australian made access panel system which has been designed and tested to be built into partition walls and riser shafts.

With improved fire and acoustic performance while maintaining the signature Trafalgar Australian-made quality, the FyreSHIELD™ is the only access panel worth specifying and installing!

**NCC compliant
NCC 2022 ready!**

Key Features



- Fully fire tested -/90/60 FRL's in accordance with AS1530.4:2014
- Two way fire protection
- Fire tested in a range of common wall types and shafts
- No calcium silicate blocks required
- Australian made quality
- Fully concealed hinges
- Budget lock as standard

Applications



- 60 minute walls (-/60/60 FRL)
- 90 minute shafts (-/90/30 FRL)
- Hebel®/Walsc® AAC Panel Systems, Speedpanel®
- Plasterboard
- Pronto Panel
- Concrete/Masonry

Full details in the manual

Trades

Architects



Builders



Plasterers




Passive Fire Professionals



FyreCHOKE

Conduit Collars



Trafalgar Fire FyreCHOKE Conduit Collars are designed to provide maximum protection against the spread of fire through walls and floors that are penetrated by plastic conduits, plastic pipes. FyreCHOKE Collars are simple to install, simply retro-fit around the service and fix to the wall or floor.

NCC 2022 ready!

Click to Watch
Installation Video



Key Features



- Intumescent fire stopping specifically for plastic pipes and conduit penetrations.
- Actively expands during fire conditions, forms a tight seal and prevents the spread of fire through the service penetration.
- Fire tested in a range of wall and floor systems including a wide variety of service types.
- Stainless steel construction
- Simple design allows for quick and easy installation of the collars.
- Sizes 25-40mm

Applications

Electricians

Data NBN Conduits
Electrical Conduits

Plumbers

PVC pipes
PEX pipes
PEX-AL-PEX pipes

Trades

Electricians




Plumbers



FyreCHOKE

Premium Hinged Retrofit Collars



Trafalgar Fire FyreCHOKE Premium Hinged Retrofit Collars are designed to provide maximum protection against the spread of fire through walls and floors that are penetrated by plastic conduits, plastic pipes or air-conditioning service bundles. FyreCHOKE Collars are simple to install, simply retro-fitted around the service and fixed to the wall or floor.

NCC 2022 ready!

Click to Watch Installation Video



Key Features



- Intumescent fire stopping for plastic pipes, conduits and air-conditioning bundle penetrations.
- Actively expands during fire conditions, forms a tight seal and prevents the spread of fire through the service penetration.
- Fire tested in a range of wall and floor systems and a wide variety of service types.
- Solid hinge and clasp with durable powder coated finish.
- Simple design allows for quick and easy installation of the collars.
- Sizes from 50-150mm

Applications

Electricians	Data NBN Conduits Electrical Conduits
Plumbers	HDPE pipes PVC pipes PEX pipes PEX-AL-PEX pipes
HVAC&R	HVAC bundle Insulated pipes & cables

Trades

Electricians



Plumbers



HVAC&R



FyrePLUG®

Fire Rated Pillow



Trafalgar Fire FyrePLUG® pillows are a tried and tested passive fire penetration system that have been used across the industry for over forty years and Made in Australia.

NCC compliant

NCC 2022 ready!

Key Features



- Proudly Australian made
- Quick and easy installation
- Use in floors and walls
- Tested to AS1530.4-2014
- Removable
- Suitable for cables and metal pipes
- Approved with Speedpanel® and Hebel® walls
- Tested with Trafalgar TWrap for increased insulation ratings

What is FyrePLUG®?

- Tested for a range of modern services and fire barriers to AS1530.4-2014
- Ideal for small to medium size penetrations for temporary fire stopping
- Undisturbed provide a permanent fire protection as required by the National Construction Code (NCC).
- Fire tested for wall and floor openings with other Trafalgar fire stopping products and with an impressive range of service penetration types

Trades

Electricians



Plumbers



Passive Fire Professionals



TWRAP

Fire Rated Wrap



TWRAP is a 25mm thick foil-faced, fire protection wrap that has been engineered to provide insulation performance on service penetrations as required by the National Construction Code (NCC) and tested in accordance with AS1530.4-2014.

NCC compliant
NCC 2022 ready!

Key Features



- Simple fixing requirements
- Up to 3 hours fire insulation performance
- Suitable for cables, cable trays and metal pipes
- Fully encapsulated wrap system
- Bio-soluble fibres
- Easily identified on site for certification
- Easy to wrap around smaller services
- Allows for adds moves and changes during the life of the building
- Tested for use with a range of Trafalgar Fire's penetration systems

What is TWRAP?

- 25mm thick foil-faced, fire protection wrap
- Used with penetration sealing systems
- Aluminium foil, fiberglass-reinforced outside layer completely encapsulates the core
- Strong- additional handling strength and tear resistance
- Resists mould growth
- Thoroughly tested to AS1530.4-2014

Trades

Electricians



Plumbers



HVAC&R



Passive Fire Professionals

